R 0

GOVERNMENT POLYTECHNIC, KHAMGAON.



Jalamb Road, Khamgaon Dist:- Buldana - 444303 WINNER OF ISTE-NARSEE MONJEE AWARD-2000

E-mail: gpolykhamgaon@rediffmail.com

@ (07263) -252278(0) 256644 (P)

Web: www.gpk.edu.in Telefax - 07263-252278

WESTERN REGIONAL OFFICE

अखिल भारतीय तकनीकी शिक्षा परिषद

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(A Statutory Body of the Government of India) (भारत सरकार का एक विधिक संस्थान)

इन्डस्ट्रियल एश्योरन्स बिल्डींग, दूसरी मंजिल, वीर निरमन रोड, चर्चगेट, मुंबई - ४०० ०२० दूरभाष : (०२२)२२८५ ५४१२, २२८२ १०९३ फॅब्स : (०२२) २२८५ १५५१

SANDEEP SINGHAL

REGIONAL OFFICER

Industrial Assurance Building. 2nd Floor, Veer Nariman Road Churchgate, Mumbai - 400 020. Tel.: (022) 2285 5412, 2282 1093

Fax: (022) 2235 1551

F.NO. 740-89-051/E/RC/95 (32/TMDE-1904) 다 교회 जिल्ह Date: - 28.06.2007

TO,

THE PRINCIPAL, GOVERNMENT POLYTECHNIC JALAMB ROAD, KHAMGAON, BULDHANA-444 303

Sub: - Extension of AICTE approval / approval for introduction of additional courses / variation in intake, as applicable, in respect of existing approved diploma level technical institutions in the State of Maharashtra for the academic year 2007-08.

Sir / Madam,

Under the present policy of decentralized system of considering extension of approval and based on the recommendations of State Level Committee for the State of Maharashtra, the All India Council for Technical Education hereby agrees extension of approval / approval for introduction of additional courses / variation in intake, as applicable, in respect of your institution for the academic year 2007-08 to conduct the 14 following courses and the intake mentioned below:-

Sr. No.	Diploma in	Intake for 2006-07*	Intake for 2007-08	Period of Approval
1	CIVIL ENGINEERING	60	60	2007-2012
2	COMPUTER TECHNOLOGY	40	60	2007-2012
3	ELECTRONICS & TELE COMMUNICATION ENGINEERING	60	60	
4	MECHANICAL ENGINEERING	60	120	
5	ELECTRICAL ENGINEERING	60	60	

The above approval is subject to fulfillment of AICTE norms and standards and instructions issued from time to time. The institution is required to fulfill the condition / specific condition enclosed in Annexure - I.

Yours faithfully,

(Sandeep Singhal)

Encl: - Annexure - I.

एके अनि क्रिया कार्या / अन्ति १९६० । १९४ एके ५ १ ९ ७००

જામાં કારા કારાયા છે. તે કારાયા છે. તે કારાયા છે. જાણા

@ 219 18 21 Dygen. CE ME, EE, ET, CC. Lib. Hostel . Stocking SESTION

W/S, TPO- Science Student Section.

2 yun alginu yozi annin

Head Office: Indira Gandhi Sports Complex I.P.Estate: New 20th 110.002

GOVERNMENT POLYTECHNIC, KHAMGAON.



Jalamb Road, Khamgaon Dist:- Buldana - 444303 WINNER OF ISTE-NARSEE MONJEE AWARD-2000

E-mail: gpolykhamgaon@rediffmail.com (07263) -252278(O), 256644 (P) Web: www.gpk.edu.in Telefax – 07263-252278

COPY TO:-

- The Addi. Chief secretary, Higher & Technical Education Department, Government of Maharashtra, Mantralaya Annexe, Mumbai-400 032
- 2. The Director, Technical Education, Maharashtra State, 3, Mahapalika Marg, Dhobi Talav, Mumbai 400 001.
- The Secretary, Maharashtra State Board Of Technical Education, 49 Kherwadi, Ali Yavar Jung Marg, Govt. Polytechnic Campus, Bandra (East), Mumbai-400 051
- 4. Concern Joint Director, Technical Education Regional Office.
- 5. Guard File

SPECIFIC CONDITIONS:

NAME OF THE INSTITUT 740-89-051/E/RC/95(32 1904)	NAME OF THE INSTITUTE	GOVERNMENT POLYTECHNIC
		JALAMB ROAD, KHAMGAON, BULDHANA-444 303

- 1. Principal and Faculty should be approved by DTE, Maharashtra.
- 2. Land, Building & other infrastructure should not be shared with other programme/ Institute.
- 3. Internet facility should be made available.
- Copy of Compliance report should be submitted to AICTE, Western Regional Office, Mumbai as well as to Director of Technical Education. (Maharashtra).
- 5. The institution has to submit the following particulars:
 - a) Name, full address, Phone/ Fax Nos. of the Trust along with the name of the Chairman / Secretary.
 - b) Name, full address, Phone / Fax Nos. of the Institution along with name of Principal and his Bio-Data with his photograph.

(Sandeep Singhal)

G.V. Polytechnia Khamgaon-444 303