



# GOVERNMENT POLYTECHNIC, KHAMGAON

WINNER OF ISTE-NARSEE-MONJEE AWARD-2000

☎ (07263) 56644 (O), 54609 (R), Fax - (07263) 52278

E-mail: [gpolykhamgaon@rediffmail.com](mailto:gpolykhamgaon@rediffmail.com)

Gram:- POLYTECH

## Corrigendum 1: For Enquiry No. : No. : GPK /Store/inst purchase/EED/2019-20/ 140 Date:04 /01/2020

Dear Sir ,

Please refer above cited enquiry letter of this Institute towards the supply of Machinery and Equipment during 2019-20 . **Kindly note the updates shown in column no 5 below** and do needful. The estimated cost shown in column 5 is inclusive of all taxes , GST, transportation , handling, etc. (inclusive of all).

Sr. No.	Name of the item with specification		Quantity required	Estimated Cost per item in Rs.
	Name of the item	Specification		
1	HV Test kit for motors upto 400 volt	Air cooled transformer for upto 10kV and Transformer Oil cooled for 25kV AC. · Output volt and Amp measurement with digital panel meters. Add on- extension unit for DC outputs. · P.B. operated contactor and zero start H.V. “ ON” interlock. Overload alarm and trip facility. · Separate control unit and H.V. unit	01	<b>15000</b>
2	Dead weight tester:-	Accuracy better than 0.015% of reading (0.008% available on request) Over all range: 0.2-2000 bar, 10-30000 psi, 0.2-2000 kg/cm <sup>2</sup> Various pressure units available: bar, kg/cm <sup>2</sup> , psi, MPa, kPa In dual piston models PCU changeover from LP to HP automatically [ Except model above 1000 bar] Pressure generated by a ram screw Pressure calibration over a wide range allowed in Dual Piston Models Operating fluid: Hydraulic oil & distilled water (depends on model chosen)	01	<b>3000</b>
3	Air Purge Level Measurement:-	Level Tank : Transparent, ( ) 150mm x (H) 600mm Pneumatic Tubing : 1/4.” PU Level Indicator : Pressure gauge calibrated in mmwc. Air Regulator : 1/4” air regulating valve, leak proof.	01	<b>15000</b>
4	Variable RLC Load Bank	Power-250-440 VAC,Freq. 50 Hz, current-5-20A ,single phase& 3 phase	01	<b>48000</b>
5	Thyrite type of lightning arrester	<i>Voltage rating:11-66kv</i> Current rating:200-800amp Housing made of porcelain or polymer	01	<b>8000</b>

Principal

Govt. Polytechnic, Khamgaon

- Copy to : 1) Hon. Director ,Directorate of Technical Education M. S. Mumbai for information please. It is requested to do needful for uploading the same on website as per instructions issued.*
- 2) Hon. Joint Directorate of Technical Education Amravati Region, Amravati for information please. It is requested to do needful for uploading the same on website as per instructions issued.*
- 3) Head of Electrical Department for information and n a*
- 4) Suppliers as list attached herewith through email and by post*
- 5) Shri Ambatakar , programmer through Registrar , Govt. Polytechnic , Khamgaon for uploading on Institute website.*
-

